
Mail

Overview	5-2
Sending Messages	5-3
Sending S! Mail	5-3
Sending SMS Messages	
Receiving & Opening Messages	5-6
Opening New Messages	5-6
Opening Inbox Messages	5-6
Replying to Messages	5-7
Using Mail List	5-7
Quake Alert	
Setting Quake Alert	5-10
Receiving Quake Alerts	
Setting Alert Tone in Manner Mode	5-10
Handling Messages	5-12
Message Storage Locations	5-12
Opening Sent & Received Messages	5-12
Sorting Messages	5-14
Prohibiting Access to Messages	5-14
Saving S! Mail Attachments	5-15
Advanced Features	5-17
Sending Messages	
Receiving/Opening Messages	
Managing/Using Messages	






Handset supports S! Mail and SMS.



Mail









Composition Window

```
Select address field ⇔ ● ⇔ Enter
Address ⇔ ● ⇒ Enter address ⇒
```

```
oldsymbol{igodol}
```

To add more recipients, Select address field, press () and repeat the same step.

Select Subject field ⇒ ● ⇒ Enter subject ⇒ ●

If 1/1 (double-byte mode) appears, switch to single-byte mode (P. 2-24).

```
Select text field ⇔ ● ⇔ Enter text
⇔ ●
```



Text Entry Window

```
5 🛛
```

- To Cancel Transmission ⇒ When Start Packet Connection appears ⇒ ④: or
 - ➡ During Transmission ➡ 🕑
- If **Resend mail?** Appears ⇒ YES ⇒ ●

Tip

 Add up to 20 recipients total between To, Cc and Bcc fields.

Attaching Files

Attach the following files to S! Mail:

- Images
- Melodies
- Phone Book entries
- Music (Songs)
 Account Details

Videos

- Calendar event
 (Schedule/To Do List)
 - event · Bookmarks /To Do List)
- For information about image, video, melody and music files, see P. 11-2.
- 1 [Composition] window ⇒ / 🖻 ⇒ Attach file ⇒ ●
- 2 Select a file type ⇔ (⇔ Enter Security Code ⇔ ●) ⇔ Select a file ⇔ ●
 - Images with Large File Size ⇒ Attach mail or QVGA scale down ⇒ (⇒ Chash an image ⇒)
 - O (\Rightarrow Check an image \Rightarrow O)

Note

 Copy protected files cannot be sent as attachments or output to external devices.

Тір

• To open or play an attached file: Select the file ⇔ ●



Graphic Mail

Create html messages to change font color/size and background color. Add scrolling text, paste images, etc.

- <Example> Change font size, background color, insert an image and set flashing text.
- 1 [Text Entry] window ⇔ ∠ ⇔

 ▲: ⇔ ⇔ Select a font size ⇔

 ⇔ Enter text ⇔ ●

- - Inserting Images with Large File Size
 ⇒ Insert mail or SubQCIF scale down ⇒
 (⇒ Check an image ⇒ ●)
- $\begin{array}{c|c} 4 & \overrightarrow{A} & \Rightarrow \odot \Rightarrow & \overrightarrow{BBegin} \Rightarrow \odot \Rightarrow & \overrightarrow{Enter} \\ text \Rightarrow \odot \Rightarrow & \overrightarrow{A} & \Rightarrow \odot \Rightarrow & \overrightarrow{Brind} \Rightarrow \\ \odot & & & & & \\ \hline \end{array}$

Adding Addresses to Mail Member List

Group addresses into Mail Member lists to send messages by group.

🔾 🛛 Mail m	ember 1/3
1Mail member	· 1
E Mail member	2
EMail member	3
⊿Mail member	• 4
Mail Men	nber List

2 Select a Mail Member list 🔿 🖲

\bigcirc	Mai	il membe	er 1	
1	xxx-xx	x@softb	ank.n	e.jp
2	< Not	stored>		
B	< Not	stored>		
4	<not< td=""><td>stored></td><td></td><td></td></not<>	stored>		
		mber		do
iviai	ivie	mber	• • • •	au

- 3 <Not stored>>
 - To Enter an Address
 - 🖻 🖙 Enter address 🖙 🖲

► To Save an Address From Phone Book or Sent/Received Address List (1) ⇔ Look-up address ⇔ ● ⇔ Phonebook, Sent address or Received address ⇔ ● ⇔ Select an address ⇔ ● (⇔ ●)

Sending SMS Messages

Send short text messages to SoftBank handsets, using recipient's phone number.

1 🖾 ⇒ Compose SMS ⇒ ●



SMS Composition Window

To ⇒ ● ⇒ Enter address ⇒ ● ⇒ Enter phone number ⇒ ●

🗈 🔿 🖲 🔿 Enter text 🔿 🖲

4 🛛

More Features

Advanced

Composing Messages

- Enter Address from Phone Book
- Enter Address from Sent/Received Address List
- Enter Address from Mail Member List
- Set To, Cc or Bcc
- Delete an Address
- Insert Header/Signature

- Enter My Pictograms
- Delete Text
- Change SMS Message to S! Mail

(**P**. 5-17)

Sending Messages

- Set Priority (S! Mail)
- Server Storage Period (SMS)
- Check Delivery
- Save Messages to Draft
- Quit Composing and Delete Message
 - (**P**. 5-17)

(**P**. 5-18)

Attaching Files

- Shoot a Still Image/Video to Attach to S! Mail
- Delete Files Attached to S! Mail

Mail Member

- Edit an Address
- Delete Addresses from a Mail Member List
- Edit a Mail Member List Name
- Reset a Mail Member List Name

(> P. 5-18)

- Graphic Mail
- Add/Edit Text Decoration
- Undo
- Preview Graphic Mail
- Cancel All Decoration
- Create Graphic Mail Automatically
- Save Graphic Mail as a Template
- Download Templates
- Create Graphic Mail from a Template

- Edit a Template
- Edit Title of a Template
- Delete Templates

Customize

Display Settings

Set an Outgoing Message Image

(**P**. 13-3)

(P. 5-19)

S! Mail Settings

- Edit Header/Signature
- Insert Header/Signature Automatically
- Set to Check Delivery

(**P. 13-15**)

SMS Settings

- Set to Check Delivery
- Set Server Storage Period of SMS Messages
- Set SMS Input Language

(**P.** 13-15)



5

Mail


Receiving & Opening Messages

Opening New Messages

Received Result window opens for new messages.

Emotion-Expressing Mail

When an S! Mail is received, a pictogram matching the message content appears in Received Result Window and Message List. Set the Keyword setting on, to show Keyword indicators when messages include user-set keywords (P. 13-15).



Received Result Window

Pictograms

 Fictogi 	unis		
Ø.	Hurry	÷	Advice
	Like	dia.	Cheer
T	Dislike	A.	Join
*	Нарру	Ì	Impression
2	Angry	Ś	Request
Š	Sad	Ĩ	Notice
	Fun	Ĩ	ОК
	Surprise	Ģ	Reply
?	Question	Ģ	Other

- 1 [Received Result] window ⇒ *Mail* ⇒ ●
- 2 Select a message ⇒ ●

Note

 By default, complete S! Mail messages (including attachments) are automatically retrieved. Transmission fees apply, depending on your subscription plan. While traveling abroad, message retrieval may incur high transmission fees.

Tip

- Alternatively open new messages from desktop notification.
- Indicator may not always correspond to message content.
- appears if message content does not match any of the above moods or information.

Opening Inbox Messages

1 🖾 ⇒ Inbox ⇒ 🆲



Folder List



Receiving & Opening Messages

2 Select a folder ⇒ ●

Inbox		1/2
10:05	Akim	aMas
was	delic	ious
TOP	a goo	a re
		_
	U	
essag	e Lis	t
	10:05 8:23 6/30 6/30 sta w was for nt ag -EN	Inbox 10:05 Akim 8:23 Ozaw 6/30 Naka 6/30 Jakk 6/30 Ozaw sta we ate was delic for a goo nt again! -END

Select a message ⇒ ●

🖂 Recv. mail 😒	1/7
2009/ 8/ 1	10:05
From AkimaMas	ami
Subject 🤄 yesterda	ıy
The pasta we a terday was del	ite yes icious
! Search for a a staurant agair FND-	1!
LIND	

Message Window

To check previous/next message, press O.

Тір

• Some attachments may require content keys to open/play the file.



- 1 [Inbox Message List] ⇒ Select a message ⇒ ⇒ ♥
 - When Original Message Has Multiple Recipients
 ⇒ To sender or To all ⇒ ●

2 Edit subject/text ⇔ 🖾

Replying (Quote Message)

- - When Original Message Has Multiple Recipients
 - 🖙 To sender or To all 🖙 🖲
- 2 Edit subject/text ⇒ 🖾

Tip

- Attachments are automatically deleted from reply messages.
- Quoting text is only available for S! Mail replies.

Using Mail List

Retrieve Mail List and select messages to download or forward.





- 2 Select a message ⇔ (R) ⇔ Message receive ⇔ ● ► ► To Receive a Message
 - To Receive a Message Receive this is
 - ► To Receive Multiple Messages Receive selected ⇒ ● ⇒ Select messages ⇒ ● ⇒ ∞
 - ► To Receive All Messages Receive all ⇔ ●



Receiving & Opening Messages

(**P**. 5-20)

Tip

- If download fails while retrieving all messages, download is canceled.
- When there is only one message, message opens upon retrieval.

More Features

Advanced

Receiving Messages

Manually Retrieve Messages

Checking Messages

- Retrieve Complete S! Mail
- Delete S! Mail from Server
- Read Out Messages
- Check Message Information

Server Message Operations

- Update Mail List
- Switch Mail List Views
- Check Server Message Information
- Forward a Server Message
- Delete Server Messages
- Check Server Memory Status
 - (► P. 5-20)

🔏 Customize

Display Settings

- Set an Incoming Message Image or Video
- Set Image for New Message/Received Result Window
- Show New Message Info While Viewing TV

(**P**. 13-3)

Incoming Message Alerts

- Adjust Ringtone Volume
- Set a Ringtone
- Set Random Playback of Melodies as Ringtones
- Set Vibration
- Set Ringtone Duration for Incoming Message
 - Set Illumination Color
 - Set Illumination Pattern
 - Set Illumination to Flash for New Messages
 - Set an Incoming Message Image

(**P.** 13-8)

(> P. 5-20) Incoming Message Settings

- Customize E-mail Address
- Do Not Show Emotion Indicators
- Show Keyword Indicators
- Delete Keywords
- Set Priority When Receiving Messages during Operation
- Set Whether to Read Out Received Messages
- Set Voice to Read Out Messages
- Set Manual Receive

(**P**. 13-15)

Reply Settings
 Change Quotation Marks

(**P**. 13-16)

5-8

This service is provided by SOFTBANK MOBILE Corp. to alert SoftBank users near an epicenter of a possible earthquake. When a Quake Alert is received, seek shelter and remain calm. Quake Alert is set to **OFF** by default. Set to **ON** to use function.



Note

· Setting Quake Alert may decrease continuous standby time by half or less.

Тір

- Quake Alert is sent to areas predicted for strong tremors (seismic intensity of 4 or higher) when the maximum intensity is predicted at 5- or higher.
- When initial tremors (P-waves) are detected near the epicenter, estimated location and intensity are automatically calculated. An Alert is sent several seconds to tens of seconds before strong tremors (S-waves) hit.
- Regions near the epicenter may not receive Quake Alert in time for strong tremors. Accuracy of intensity may vary.
- · Service only available in Japan.
- Quake Alert is a free service. However, connecting to associated web links will incur transmission fees.
- · SoftBank is not liable for losses incurred by receiving or not receiving Quake Alerts.
- For details about Earthquake Early Warning provided by Japan Meteorological Agency, see: http://www.jma.go.jp/jma/indexe.html (PC)

5

Mai

Setting Quake Alert

Set handset to receive Quake Alerts.

- 1 🖻 ⇒ Mail Setting ⇒ ●
- 2 Other settings ⇔ ⇔ Quake Alert settings ⇔ ●
- 3 Select item ⇒ Receiving:

Information and disclaimer appear; read and select **ON** to proceed.

Duration:

Set Alert duration between 01 and 30 seconds.

Note

- · Quake Alerts are saved in Inbox.
- Save up to 100 Quake Alerts on handset.

Tip

 When Inbox memory is full, old Quake Alerts are deleted in order of Trash box, read, and unread alerts.

Receiving Quake Alerts

appears at top of Display for a new Quake Alert.

When an Alert is received, notification appears, Alert tone sounds, Illumination flashes red, and handset vibrates. Press (), ([124], or (-) to close notification.

Setting Alert Tone in Manner Mode

Set Alert tone on or off in Manner Mode.

- 1 🖻 ⇒ Mail Setting ⇒ ●
- 2 Other settings ⇔ ⇔ Quake Alert settings ⇔ ●
- 3 For Manner Mode ⇔ ⇒ Ring in manner mode or Follow manner mode ⇔ ●

Tip

Handset is set to *Ring in manner mode* by default.

Note


- · Quake Alert is unavailable when or during:
 - Power Off
 - Out of range
 - A voice call
 - Packet transmission
 - A video call
- Global roaming
- Secure Remote Lock
- Emission OFF Mode
- Infrared transmission
- A notification may not appear for a new Quake Alert when:
 - Camera activated
 - Watching or recording TV
- Alarm activated
- microSD memory card being accessed
- Even within the service area, Quake Alert may be unavailable when signal reception is poor (in a tunnel, under ground, etc.).
 Missed Quake Alerts are not resent.
- Time lag may occur between Quake Alert reception and Earthquake Early Warning alerts provided by other means (TV, radio, etc.).
- Depending on various factors, an Alert intended for handsets in a different area may be received on your handset.

Тір

- For details about service area and other information, see SOFTBANK MOBILE Corp. Website (http://www.softbank.jp/).
- For false Alerts, a retraction message is sent. Ringtone, Illumination flash pattern, and Vibrator for retractions follow *Mail Setting* settings.
- Illumination flash pattern and Vibrator pattern follow Quake Alert setting.

Message Storage Locations

Press (B) to open Mail Menu. Sent, received and draft messages are saved in the locations below.



Opening Sent & Received Messages

<Example> Open a Sent Message



🖂 Outbox	
I ☐Outbox E □Folder1 E □Folder2 I □Folder3	
Folder List	
2 Select a folder ⇔ ●	2

🖻 Outbox 🗌	1/2
1 💷 13:49 Nakaya	
∎ ≔10:02 OzawaE ∎ ≔ 7/31 目Kita	
1 = 7/31 Nakaya	
🗄 🗐 7/31 AkimaN	lasam
Hello, long time see!	no
see! How about having	am
eal together aga	
ometime?©	

Message List

3 Select a message ⇒ ●



Message Window


To check previous/next message, press \bigodot .

Тір

 When Outbox/Inbox is full, old messages are deleted in order of Trash box then Outbox/ Inbox when a new message is sent or received. Unread and protected messages and Secret Folder messages are not deleted.

Mail

Handling Messages










ometime? ---- FND-----Sent Message Window



The following marks appear on indicators to inform you:

- Folder Contains Unread Messages
- 🖺 Locked Folder
- Folder with Auto Sort Set
- Protected Message
- Delivery failed to Some Recipients or Some Attachments Deleted
- X Delivery Failed/All Attachments Deleted
- ü Attachment Deleted
- High Priority Message

Tip

- To open/play copy-protected files, save files to Data Folder.
- appears in Sulject field when Delivery Report is received.

Sorting Messages

Automatically sort incoming/outgoing messages into folders.

- 1 [Folder List] ⇔ Select a folder ⇔ / ⓓ ⇔ Auto-sort ⇔ ● ►
 - ► To Sort by Address Address sort ⇔ ● ⇔ Look-up address, Look-up group, Look-up member or Enter address ⇔ ●
 - ► To Sort by Subject Subject sort ⇔ ● ⇔ Enter subject ⇔ ●
 - To Sort by Reply Failed or Send Failed Reply impossible or Send impossible.

 Image: Image and Image

Tip

- Only one Inbox folder can be specified for sorting *Reply impossible* messages.
- Only one Outbox folder can be specified for sorting Send impossible messages.
- Search addresses from Phone Book, Received Address List or Sent Address List in *Look-up* address.

Canceling Auto Sort

- [Folder List] ⇒ Select a folder ⇒
 () ⇒ Auto-sort ⇒ ●
- 2 Select a criterion ⇔ (n) ⇔ Release ⇔ ● ►
 - ► To Cancel a Criteria Release this ⇒ ● ⇒ YES ⇒ ●
 - ► To Cancel Multiple Criteria Release selected ⇔ ● ⇔ Select criteria ⇔ ● ⇒ ⊠ ⇔ YES ⇔ ●
 - ► To Cancel All Criteria Release all ⇔ ● ⇒ YES ⇔ ●

Prohibiting Access to Messages

Setting Mail Box Lock

- 1
 27
 → Mail Setting → →

 Other settings → → Mail box

 lock → → Enter Security Code

 → ●
- 2 Select a mail box ⇒ Repeat step 2 to specify other boxes.

3 🖾

Setting Folder Lock

 [Folder List] ⇒ Select a folder ⇒

 (n) ⇒ Folder lock ⇒ ● ⇒ Enter

 Security Code ⇒ ● ⇒ YES ⇒ ●

 Locked folders are indicated by _____.

Tip

- Repeat the same procedure to cancel mail box and folder lock.
- Trash box folder can be locked.
- Security Code entry is required to view messages in locked mail boxes and folders.

Handling Messages

Storing Messages in Secret Folders

- Set handset to Secret Mode or Secret Data Only Mode beforehand (P. 4-6).
- Unread Messages, S! Mail with Text Unreceived or delivery reports cannot be stored in Secret Folders.

[Message List] ⇒ Select a message ⇒ /n ⇒ Keep in secret ⇒ ●

- ► To Store a Message Keep this ⇒ ●
- ► To Store Multiple Messages Keep selected ⇔ ● ⇔ Select a message ⇔ ● (repeat to select another message) ⇔ Ø ⇔ YES ⇔ ●
- ► To Store All Messages in a Folder Keep all ⇒ ● ⇒ YES ⇒ ●

Returning Messages in Secret Folders to Ordinary Messages

- ┃ [Folder List] 🔿 **Secret** 🔿 🖲
- Select a message ⇔ (R) ⇔ Put out ⇔ ●►
 - ► To Return a Message Put out this ⇔ ● ⇔ Select a folder ⇔ ●

- To Return Multiple Messages
 Put out selected ⇒ ⇒ Select a folder ⇒ ⇒ Select a message ⇒
 (repeat to select another message)
 ⇒ ⊕ ⇒ YES ⇒ ●
- ► To Return All Messages Put out all ⇔ ● ⇒ Select a folder ⇒ ● ⇒ YES ⇒ ●

Saving S! Mail Attachments

Saving Image, Video, Melody, Music and Flash[®] Files

1 [Message] window ⇔ Select a file ⇔ () ⇔ Save Data ⇔ ● ⇔ YES ⇔ ●

2 Select a folder ⇒ ●

■ To Set an Image as Wallpaper, etc. \Rightarrow YES \Rightarrow o \Rightarrow Select an item \Rightarrow o (\Rightarrow Select a view \Rightarrow o \Rightarrow Check an image \Rightarrow o)

Select **NO** and press (a) when you do not want to set the image.

■ To Set a Melody as Ringtone, etc. ⇒ YES ⇒ ● ⇒ Select an item ⇒ ● Select NO and press ● when you do not want to set the melody.

Saving an Image Inserted in Text

- [Message] window ⇔ / P ⇒ Save insert image ⇔ ●
- 2 Select an image ⇒ ⇒ YES ⇒
 ⇒ Select a folder ⇒
 - To Set an Image as Wallpaper, etc. ⇔ YES ⇔ ● ⇔ Select an item ⇔ ● (⇔ Select a view ⇔ ● ⇔ Check an image ⇔ ●)

Select *No* and press (•) when you do not want to set the image.

Saving a Phone Book Entry

- [Message] window ⇒ Select

 contact information (a phone

 number, etc.) ⇒ (twice) ⇒

 Phone or USIM ⇒ ⇒ New ⇒

 ●
- 2 Edit each item ⇒

Saving a Schedule Event

I [Message] window ⇔ Select Schedule data ⇔ ● (twice)



Handling Messages

Saving a Bookmark

[Message] window ⇔ Select a link (URL, etc.) ⇔ ● (twice) ⇔ Select a destination ⇔ ● (⇔ Select a folder ⇔ ●)

Note

 Mail-attached phone book entries, schedule events or bookmarks cannot be saved to *microSD*.

More Features

💿 Advanced

Managing Messages

- Protect a Message
- Move Messages to a Different Folder
- Move Messages to Trash Box
- Delete Messages
- Delete All Read Messages
- Delete All Delivery Reports
- Delete Attached Files
- Copy SMS Messages between Handset and USIM Card
- Delete SMS Messages on USIM Card
- Change Message Color
- Add a Folder
- Edit a Folder Name
- Change Order of Folders
- Delete a Folder
- Check Number of Saved Messages
- Check Sent/Received Addresses

Using Messages

- Edit a Sent Message
- Edit & Send a Draft Message
- Forward a Message
- Save Sender, Recipient's E-mail Address or Phone Number to Phone Book
- Call a Phone Number in Text
- Send an S! Mail to an E-mail Address in Text
- Access the Internet from a URL in Text
- Save Number/Address in Text to Phone Book

- Search for Information by Keyword
- Switch Subject Field Views
- Change Font Size of Messages
- Search for Messages in a Folder
- Sort Messages
- Filter Messages
- Reset Message List View to Default
- Switch All Unread Messages to Read Messages
- Open S! Mail Delivery Report

(**Þ** P. 5-23)

🔀 Customize

Message View Settings & Others

- Set Message List View
- Play Attached Melodies Automatically
- Set Number of Text Lines to Scroll
- Set Font Size of Text
- Check Mail Settings
- Reset Mail Settings

(> P. 13-16)

SMS Server Settings

- Change SMS Center Address
- Reset to SoftBank SMS Center Address

(**P**. 13-17)

• Chai

(**Þ** P. 5-21)

Start Here

[Composition] window	Ρ.	5-3
[Text Entry] window	Ρ.	5-3
[Mail Member List]	Ρ.	5-4
[Mail Member] window	Ρ.	5-4
[SMS Composition] window	P.	5-5

Composing Messages

Enter Address from Phone Book

Enter Address from Sent/Received Address List

[Composition] window/ [SMS Composition] window ⇔ To ⇔ ⊙ ⇔ Sent address or Received address ⇔ ⊙ ⇔ Select an e-mail address/phone number ⇔ ⊙ (twice) [S Alternatively, select To and press ⓒ to open Sent/Received Address List.

Enter Address from Mail Member List

[Composition] window \Rightarrow To \Rightarrow \bigcirc \Rightarrow Mail member \Rightarrow \bigcirc \Rightarrow Select a

Mail Member list 🔿 🖲

All addresses in the selected Mail Member list are entered in the address field.

You must save addresses to a Mail Member list in advance.

Set To, Cc or Bcc

[Composition] window \Rightarrow To \Rightarrow \bigcirc \Rightarrow Select an address \Rightarrow $(\mathbb{R}) \Rightarrow$ **Change rcv. type** \Rightarrow \bigcirc \Rightarrow **To**, **Cc** or **Bcc** \Rightarrow \bigcirc

Cc (Carbon copy): S! Mail copies are sent to other addresses. Addresses in the Cc field are revealed to the other recipients.

Bcc (Blind carbon copy): S! Mail copies are sent to other addresses. Addresses in the Bcc field are hidden to the other recipients.

When there is no address in the To field, the message cannot be sent.

Delete an Address

[Composition] window \Rightarrow **To** \Rightarrow **(e)** \Rightarrow Select an address \Rightarrow **(f)** \Rightarrow **Delete receiver** \Rightarrow **(e)** \Rightarrow **YES** \Rightarrow **(e)**

Insert Header/Signature

[Composition] window ⇔ / (P) ⇔ Add header or Add signature ⇔ ● Save header/signature in advance.

Enter My Pictograms

 [Text Entry] window ⇔ Press and hold

 ⇔ Select a pictograph ⇔ ● ⇔ □

 [5] Toggle categories by pressing

 [6] Only available for S! Mails.

Delete Text

[Composition] window/ [SMS Composition] window \Rightarrow ($\mathbb{P} \Rightarrow Erase message \Rightarrow \odot \Rightarrow$ YES $\Rightarrow \odot$

Change SMS Message to S! Mail

[SMS Composition] window ⇔ / । *S! Mail conversion* ⇔ ●

Sending Messages

Set Priority (S! Mail)

[Composition] window \Rightarrow (1) \Rightarrow Priority \Rightarrow (1) \Rightarrow High, Normal or Low \Rightarrow (1) [SMS Composition] window \Rightarrow (1) \Rightarrow SMS valid. per. \Rightarrow (\bullet) \Rightarrow Select a period \Rightarrow (\bullet)

Server Storage Period (SMS)

- Specify a period the SMS message is stored in the server in case it fails to reach the recipient because the recipient's handset is out of range, etc.
- When **None** is set, the SMS message is deleted from the server after it is resent once in a certain period of time.

Check Delivery

[Composition] window/ [SMS Composition] window ⇔ () ⇔ DeliveryReport or SMS report req. ⇔ ● ⇔ ON or OFF ⇔ ● [> When ON is set, handset receives a delivery report.

Save Messages to Draft

[Composition] window/ [SMS Composition] window ⇔ ∕ () ⇔ Save ⇔ ●

The message is saved to Draft. Messages saved in Draft can be edited and sent at a later time.

Quit Composing and Delete Message

[Composition] window/ [SMS Composition] window \Rightarrow $\overline{(1)} \Rightarrow$ **Delete** \Rightarrow $\textcircled{o} \Rightarrow$ **YES** \Rightarrow

Attaching Files

Shoot a Still Image/Video to Attach to S! Mail

[Composition] window ⇔ /∄ ⇔ Activate camera ⇔ ● ⇔ Photo mode or Movie mode ⇔ ● ⇔ Shoot image/video ⇔ ●

Delete Files Attached to S! Mail

[Composition] window \Rightarrow Select an attached file $\Rightarrow \bigcirc \bigcirc \bigcirc \bigcirc$ Delete att. file or Del all att. files $\Rightarrow \bigcirc \odot \Rightarrow YES \Rightarrow \bigcirc$

Mail Member

Edit an Address

[Mail Member] window \Rightarrow Select an address $\Rightarrow \boxdot \iff \blacksquare$ Edit address $\Rightarrow \boxdot$

Delete Addresses from a Mail Member List

[Mail Member] ⇒ Select an address ⇒ () • To Select Delete this

 \Rightarrow Delete this \Rightarrow \bigcirc \Rightarrow YES \Rightarrow \bigcirc

To Select Delete all
 ⇒ Delete all ⇒ ● ⇒ Enter Security Code
 ⇒ ♥ YES ⇒ ●

Edit a Mail Member List Name

[Mail Member List] \Rightarrow Select a Mail Member list \Rightarrow (\mathbb{P}) \Rightarrow *Edit member name* \Rightarrow (\mathbb{P}) \Rightarrow Edit name \Rightarrow (\mathbb{P})

Reset a Mail Member List Name

[Mail Member List] \Rightarrow Select a Mail Member list \Rightarrow (1) \Rightarrow Reset member name \Rightarrow (1) \Rightarrow YES \Rightarrow (1)

° Mai

Graphic Mail

Add/Edit Text Decoration

Undo

[Text Entry] window \Rightarrow \frown \Rightarrow \bigcirc Undo

Preview Graphic Mail

 $[Text Entry] window \Rightarrow \square \Rightarrow \square \Rightarrow \bigcirc \\ \Rightarrow @ entropy in to close preview$

Cancel All Decoration

Create Graphic Mail Automatically

 $\begin{array}{c} [\text{Text Entry}] \text{ window } \Rightarrow \text{ Enter text } \Rightarrow \swarrow \\ \Rightarrow \boxed{\text{Auto}} \Rightarrow \textcircled{\bullet} \Rightarrow \overleftarrow{\text{Y}} \text{ to toggle effects } \Rightarrow \\ \hline \end{array}$

Emotion of the message is detected from the entered text, and a set of effects that matches the emotion is automatically applied.

Save Graphic Mail as a Template

[Text Entry] window \Rightarrow Enter text \Rightarrow $\textcircled{o} \Rightarrow$ $\textcircled{R} \Rightarrow$ *Template* \Rightarrow $\textcircled{o} \Rightarrow$ *Save template* \Rightarrow $\textcircled{o} \Rightarrow$ *YES* \Rightarrow o

Attached files except images inserted in text are not included in a template. Save up to 45 templates including downloads. Delete saved templates as needed.

Download Templates

 $\textcircled{D} \Leftrightarrow \textbf{Template} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{Download}$ Templates $\Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{YES} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{Follow}$ onscreen instructions

Create Graphic Mail from a Template

Edit a Template

 $\textcircled{B} \Leftrightarrow \textbf{Template} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Select a template} \\ \Rightarrow \textcircled{O} \Leftrightarrow \textcircled{P} \Leftrightarrow \textbf{Edit} \Rightarrow \textcircled{O} \Leftrightarrow \texttt{Edit text} \Leftrightarrow \\ \textcircled{O} (twice) \Rightarrow \textbf{YES or NO} \Rightarrow \textcircled{O}$

Edit Title of a Template

 $\textcircled{O} \Rightarrow \textbf{Template} \Rightarrow \textcircled{O} \Rightarrow \texttt{Select a template} \\ \Rightarrow \textcircled{P} \Rightarrow \textbf{Edit title} \Rightarrow \textcircled{O} \Rightarrow \texttt{Edit title} \Rightarrow \textcircled{O} \\ \hline \Rightarrow \textcircled{O} \Rightarrow \texttt{Edit title} \Rightarrow \texttt{O} \Rightarrow \texttt{Edit title} \Rightarrow \texttt$

Delete Templates

 \boxdot \Rightarrow *Template* \Rightarrow ● \Rightarrow Select a template \Rightarrow / ⊕ \Rightarrow *Delete* \Rightarrow ●

• To Select *Delete this*

 \Rightarrow Delete this \Rightarrow \bigcirc \Rightarrow YES \Rightarrow \bigcirc

• To Select *Delete selected*

⇒ Delete selected ⇒ ● ⇒ Select

templates \Rightarrow \bigcirc \Rightarrow \bigcirc \Rightarrow **YES** \Rightarrow \bigcirc

To Select Delete all
 ⇒ Delete all ⇒ ● ⇒ Enter Security Code
 ⇒ ● ⇒ YES ⇒ ●

Receiving/Opening Messages

Start Here

[Message List] P	5-7
[Message] window P	
[Mail List]P	5-7

Receiving Messages

Manually Retrieve Messages

 ^C Check Mail
 ^C ●
 ^C Received Result window opens
 ^C ●
 ^C Received Result window opens
 ^C → Select a message
 ^C ●
 ^C ●

Retrieve messages that were stored on the server while handset was off or out of range.

Checking Messages

Retrieve Complete S! Mail

[Message List] ⇒ Select an S! Mail notification ⇒ ● ⇒ ♥
 [An S! Mail notification is deleted when you retrieve the message text.
 [5] Use this procedure when Message Download under S! Mail Settings is set to Manual.

Delete S! Mail from Server

 $[Message List] \Rightarrow Select an S! Mail$ $notification \Rightarrow • • + Te Delete \Rightarrow • \\ \Rightarrow Notification, Server mail or$ $Notifi./Server \Rightarrow • + YES \Rightarrow • \\$

Read Out Messages

 [Message] window ⇔ /P
 ⇔ Read out

 message ⇔ ●
 ●

 Press ● to stop reading.
 Press ●

 Press ●
 to end reading.

Check Message Information

[Message List] ⇒ 🕞 🖙 Mail info ⇒ 🖲

Server Message Operations

Update Mail List

[Mail List] ⇔ 🗇 ⇔ Mail list ⇔ ●

Switch Mail List Views

[Mail List] ⇔ (P) ⇔ List setting ⇔ ● ⇔ Subject, Name or Address ⇔ ●

Check Server Message Information

[Mail List] ⇔ Select a message ⇔ / 🗊 ⇔ Mail info ⇔ ●

Forward a Server Message

[Mail List] ⇔ Select a message ⇔ () ⇔ Forward ⇔ ● ⇔ To ⇔ ● ⇔ Enter address ⇔ ⊗

Delete Server Messages

 $[Mail List] \Rightarrow Select a message \Rightarrow (1) \Rightarrow Delete \Rightarrow \bigcirc$

- To Select Delete this
 ⇒ Delete this ⇒ ⇒ YES ⇒ ●
- To Select Delete selected
 ⇒ Delete selected ⇒ ⇒ Select
- $\implies Delete selected \implies \bigcirc \implies Select$ messages $\implies \bigcirc \implies \bowtie \implies \bowtie \implies YES \implies \bigcirc$
- To Select *Delete all* \Rightarrow *Delete all* \Rightarrow \bigcirc \Rightarrow Enter Security Code \Rightarrow \bigcirc \Rightarrow *YES* \Rightarrow \bigcirc

Check Server Memory Status

Image: Server Mail
 Image: Server Mail
 Image: Server mail
 Image: Server mail

Managing/Using Messages

Start Here

Managing Messages

Protect a Message

[Message] window ⇔ / 🗊 ⇔ Protect ON/OFF ⇔ ●

If a message is protected, this procedure cancels protection.

Move Messages to a Different Folder

[Message List] \Rightarrow Select a message \Rightarrow \bigcirc \Rightarrow Move \Rightarrow \bigcirc • To Select Move this \Rightarrow Move this \Rightarrow \bigcirc \Rightarrow Select a destination folder \Rightarrow \bigcirc \Rightarrow YES \Rightarrow \bigcirc • To Select Move selected \Rightarrow Move selected \Rightarrow \bigcirc \Rightarrow Select a destination folder \Rightarrow \bigcirc \Rightarrow Select messages \Rightarrow \bigcirc \Rightarrow \bigcirc \Rightarrow YES \Rightarrow \bigcirc • To Select Move all \Rightarrow Move all \Rightarrow \bigcirc \Rightarrow Select a destination folder \Rightarrow \bigcirc \Rightarrow YES \Rightarrow \bigcirc [\bigcirc A message can also be moved to a different folder from Message window.

Move Messages to Trash Box

 $[Message List] \Rightarrow \widehat{(\mathbb{R})} \Rightarrow Move trash box \\ \Rightarrow \textcircled{O} \Rightarrow Select messages \Rightarrow \textcircled{O} \Rightarrow \textcircled{O} \Rightarrow \\ YES \Rightarrow \textcircled{O}$

Protected messages and delivery reports cannot be moved to Trash box.

Delete Messages

 $\begin{bmatrix} \text{Folder List} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete all} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete all} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete all} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete Select} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete} \Rightarrow \boxed{Delete} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete} \Rightarrow \boxed{\mathbb{R}} \Rightarrow \boxed{Delete} = \boxed{Delete}$

b Protected messages cannot be deleted.

Delete All Read Messages

 $[Inbox Folder List] \Rightarrow \langle \widehat{n} \rangle \Rightarrow Delete read \Rightarrow \\ \textcircled{O} \Rightarrow YES \Rightarrow \textcircled{O} \\ [Inbox Message List] window \Rightarrow \langle \widehat{n} \rangle \Rightarrow \\ Delete \Rightarrow \textcircled{O} \Rightarrow Delete read \Rightarrow \textcircled{O} \Rightarrow YES \\ \Rightarrow \textcircled{O} \\ \textcircled{O} Protected messages cannot be deleted. }$

Delete All Delivery Reports

 $[Inbox Message List] \Rightarrow \bigcirc \bigcirc \Rightarrow Delete \Rightarrow \\ \textcircled{O} \Rightarrow Delete all reports \Rightarrow \textcircled{O} \Rightarrow Enter \\ Security Code \Rightarrow \textcircled{O} \Rightarrow YES \Rightarrow \textcircled{O} \\ \fbox{O} Protected delivery reports cannot be deleted.$

Delete Attached Files

[Message] window \Rightarrow Select attached files $\Rightarrow \boxed{\mathbb{P}} \Rightarrow Delete$ att. file or Del all att. files $\Rightarrow \textcircled{O} \Rightarrow YES \Rightarrow \textcircled{O}$

Copy SMS Messages between Handset and USIM Card

Delete SMS Messages on USIM Card

 $\textcircled{M} \Leftrightarrow \textbf{Tools} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{USIM Operation} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Enter Security Code} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{Delete} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{USIM} \Leftrightarrow \textcircled{O} \Leftrightarrow \textbf{SMS} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Inbox or Outbox} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{SMS} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Inbox or Outbox} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Select a folder} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{Select an SMS message} \Leftrightarrow \textcircled{O} \Leftrightarrow \textcircled{O} \Leftrightarrow \texttt{SP} \Leftrightarrow \texttt{YES} \Leftrightarrow \textcircled{O}$

Change Message Color

[Message List] ⇒ Select a message ⇒ Press and hold ★
 [5] Each time you press and hold ★, the message color toggles as follows: Red → Blue → Default (Black)

Add a Folder

 $\begin{bmatrix} \text{Folder List} & \Rightarrow & \widehat{(\mathbb{R})} \Rightarrow & \text{Add folder} \Rightarrow & \textcircled{O} \Rightarrow \\ \text{Enter folder name} \Rightarrow & \textcircled{O} \Rightarrow & \text{YES or NO} \Rightarrow \\ \hline & (\Rightarrow & \text{Address sort, Subject sort, Reply impossible or Send impossible.} \Rightarrow & \textcircled{O} \Rightarrow \\ \text{Make auto Sort settings} \Rightarrow & \textcircled{O} \Rightarrow & \text{YES or } \\ \text{NO} \Rightarrow & \textcircled{O} \Rightarrow \\ \end{bmatrix}$

Edit a Folder Name

 $\begin{array}{c} [Folder \ List] \Rightarrow Select \ a \ folder \ \Rightarrow \ \hline (P \ \Rightarrow \ \\ \hline C \ e \ \) \Rightarrow \\ \hline C \ d \ t \ folder \ name \ \Rightarrow \ \hline (P \ \Rightarrow \ \\ \hline C \ e \ \) \Rightarrow \ \) \ \) \Rightarrow \ \) \) \) \) \ \) \) \ \) \) \) \ \) \) \ \) \) \) \) \ \) \$

Preinstalled folders cannot be renamed.

Change Order of Folders

[Folder List] ⇒ Select a folder ⇒ () ⇒ Sort folder ⇒ ● ⇒ Select a position ⇒ ●
[] The order of preinstalled folders cannot be changed.

Delete a Folder

 $[Folder List] \Rightarrow Select a folder \Rightarrow file \Rightarrow$ **Delete folder** $\Rightarrow \odot \Rightarrow$ Enter Security Code $\Rightarrow \odot \Rightarrow YES \Rightarrow \odot$

- Folders containing protected messages and preinstalled folders cannot be deleted.
- This procedure also deletes messages stored in the folder.
- Auto Sort settings are also canceled when you delete a folder with Auto Sort settings.

Check Number of Saved Messages

[Folder List] / [Message List] ⇒ () ⇔ No. of messages ⇔ ●

Check number of received messages (all, unread, protected), Quake Alerts (all, unread), and messages on USIM (received, sent).

Folder List: The total of all folders. Message List: The total of the selected folder.

Check Sent/Received Addresses

Press and hold O or press and hold O \Rightarrow Select an entry \Rightarrow O

Mail

Using Messages

Edit a Sent Message

[Sent Message] window ⇔ (⊆) ⇔ Edit address, subject and/or text

Edit & Send a Draft Message

 $\bigcirc \Rightarrow Draft \Rightarrow \bigcirc \Rightarrow Select a message \Rightarrow \\ \bigcirc \Rightarrow Edit address, subject and text \Rightarrow \boxdot$

Forward a Message

[Received Message] window $\Rightarrow \overline{(\mathbb{R})} \Rightarrow$ Forward $\Rightarrow \odot (\Rightarrow \odot) \Rightarrow$ Enter address $\Rightarrow \odot$ (a) The subject and text can also be edited. Files attached to inserted in SL Mails are also

Files attached to/inserted in S! Mails are also forwarded.

Save Sender, Recipient's E-mail Address or Phone Number to Phone Book

[Message] window ⇔ (P) ⇔ Address list ⇔ ● ⇔ Select an e-mail address/phone number ⇔ (P) ⇔ Save address ⇔ ● ⇔ YES ⇔ ●

To Save to Handset

 $\Rightarrow Phone \Rightarrow \textcircled{O} \Rightarrow Select store method \Rightarrow$

(\Rightarrow Search Phone Book \Rightarrow Select Phone Book \Rightarrow (\Rightarrow) (twice)) \Rightarrow Edit items \Rightarrow (\Rightarrow) (\Rightarrow)

YES or NO ⇔) (⇔ Enter entry number ⇔)

To Save to USIM Card

 \Rightarrow USIM \Rightarrow \odot \Rightarrow Select store method \Rightarrow

● (\Rightarrow Search Phone Book \Rightarrow Select Phone Book \Rightarrow ● (twice)) \Rightarrow Edit items \Rightarrow \bigcirc (\Rightarrow *Overwrite* or *Add* \Rightarrow ●) (\Rightarrow *YES* or *NO* \Rightarrow ●)

Call a Phone Number in Text

[Message] window ⇔ Select a phone number ⇔ ● ⇔ Voice phone or Video Call ⇔ ● ⇔ Dial ⇔ ●

Send an S! Mail to an E-mail Address in Text

[Message] window ⇔ Select an e-mail address ⇔ ● ⇔ Compose S! Mail ⇔ ⊠

Access the Internet from a URL in Text

[Message] window \Rightarrow Select a URL \Rightarrow \bigcirc \Rightarrow **YES** \Rightarrow \bigcirc

Save Number/Address in Text to Phone Book

[Message] window \Rightarrow Select an e-mail address/phone number \Rightarrow (\mathbb{R}) \Rightarrow Add to phonebook \Rightarrow (\mathbb{R}) \Rightarrow YES \Rightarrow (\mathbb{R})

To Save to USIM Card

 $\Rightarrow USIM \Rightarrow \textcircled{o} \Rightarrow Select store method \Rightarrow \textcircled{o} (\Rightarrow Search Phone Book \Rightarrow Select Phone Book \Rightarrow \textcircled{o} (twice)) \Rightarrow Edit items \Rightarrow \textcircled{o} (\Rightarrow Overwrite or Add \Rightarrow \textcircled{o}) (\Rightarrow YES or NO \Rightarrow \textcircled{o})$

Search for Information by Keyword

[Message] window $\Rightarrow \bigcirc \bigcirc \bigcirc$ Quick Search $\Rightarrow \odot \bigcirc \Rightarrow$ Enter keyword $\Rightarrow \odot \Rightarrow$ Enter keyword $\Rightarrow \odot \Rightarrow \bigcirc \Rightarrow$ Select an item from search results $\Rightarrow \odot$

Switch Subject Field Views

[Message List] ⇒ Press and hold #
 When Mail list disp. is set to 2 lines, view toggles in the order Name → Address.
 When Mail list disp. is set to 1 line, or to 1 line+body, the view cycles as follows:
 Subject → Name → Address

Change Font Size of Messages

[Message] window \Rightarrow Press and hold Θ

Search for Messages in a Folder

[Message List] \Rightarrow (\mathbb{R}) \Rightarrow Search mail \Rightarrow (\mathbb{R}) \Rightarrow Search sender, Search receiver or Search subject \Rightarrow (\Rightarrow Select a search criterion \Rightarrow (\bigcirc) \Rightarrow Select an address, enter address or subject \Rightarrow (\Rightarrow)

Narrow down search results by repeating the search operation.

This procedure can be combined with *Sort* or *Filter*.

Sort Messages

[Message List] ⇔ / R ⇔ Sort ⇔ ● ⇔
Select a criterion ⇔ ●
[a] This procedure can be combined with the Search mail or Filter.

Filter Messages

 $[Message List] \Rightarrow \bigcirc \bigcirc Filter \Rightarrow \bigcirc \Rightarrow \\ Select a criterion \Rightarrow \bigcirc \\ \hline \end{tabular}$

This procedure can be combined with Search mail or Sort.

Return Message List View to Default

[Message List] ⇒ / (P) ⇒ Display all ⇒ ●
[→] This procedure returns the message list view that has been changed by Search mail, Sort or Filter to its original view.

Switch All Unread Messages to Read Messages

 $[Inbox Message List] \Rightarrow \textcircled{P} \Rightarrow \textbf{Read all} \Rightarrow \\ \textcircled{P} \Rightarrow \textbf{YES} \Rightarrow \textcircled{P}$

Open S! Mail Delivery Report

[Outbox Message] window ⇔ () ⇔ Disp. report ⇔ ●

Only available in Message window of a sent message with a requested delivery report.